

Key Reference Links

1. **SOGC Clinical Practice Guideline:** Ultrasonographic Cervical Length Assessment in Predicting Preterm Birth in Singleton Pregnancies No. 257 MAY **JOGC** 2011
<http://sogc.org/guidelines/ultrasonographic-cervical-length-assessment-in-predicting-preterm-birth-in-singleton-pregnancies/>
2. **ACOG Obstetric Care Consensus:** Periviable Birth. *Obstet Gynecol* 2015;126: e82—94.
<https://www.acog.org/Search?Keyword=Periviable+Birth>
3. Smithson et al. Implementing an obstetric triage acuity scale: interrater reliability and patient flow analysis. *Am J Obstet Gynecol*: 2013 October 287-293. *Implementing an obstetric triage acuity scale: interrater reliability and patient flow analysis* – October 2013 American Journal of Obstetrics & Gynecology, p. 287

<http://www.ajog.org/action/doSearch?searchType=quick&searchText=Implementing+an+obstetric+triage+acuity+scale%3A+interrater+reliability+and+patient+flow+analysis+&occurrences=all&journalCode=ymob&searchScope=fullSite>

DOI: <http://www.sciencedirect.com/science/article/pii/S000293781300344X>
4. Acuity Assessment in Obstetrical Triage Robert J. Gratton, MD et al February *JOGC* 2016 | 133

<http://www.jogc.com/action/doSearch?searchType=quick&searchText=4.%09Acuity+Assessment+in+Obstetrical+Triage+&occurrences=all&journalCode=jogc&searchScope=fullSite>

DOI: <http://dx.doi.org/10.1016/j.jogc.2015.12.010>
5. **Institute of Health Economics:** Post policy implementation review (PPIR) of rapid fetal fibronectin testing for preterm labour in Alberta March 2015 (updated July 7, 2015)

<http://www.ihe.ca/advanced-search/post-policy-implementation-review-ppir-of-rapid-fetal-fibronectin-testing-for-preterm-labour-in-alberta>
6. Waters TP and Mercer BM The management of PPROM near the limit of fetal viability. *Am J Obstet Gynecol* 2009

[http://www.ajog.org/article/S0002-9378\(09\)00693-0/abstract](http://www.ajog.org/article/S0002-9378(09)00693-0/abstract)

DOI: <http://dx.doi.org/10.1016/j.ajog.2009.06.049>